ANPING MENGKE

WIRE MESH MANUFACTURE CO., LTD









Hinge Knot Field Fence

Hinge knot field fence is the most common used type with economic benefits. Different form above weaving method, hinge joint is formed by wrapping the vertical wires around horizontal wires at each intersection. This spring shaped knot will provide the most elasticity to absorb the harshest impact energy as well spring back into its original shape. The Hinged Joint allows the necessary flexibility to move without breaking wires when pressure is placed on the fence by stock.






Material: Hot dipped galvanized wire, electro galvanized wire, high tensile steel wire

Wire: 2mm-2.8mm Height: 0.8m-2.44m Length: 50m or 100m

Post: T post, T studded post, Y post, Angle steel post

Surface treatment: Hot dipped galvanized, electro galvanized

Packaging: pallets or in bulk **Certificates:** ISO9001, BV,SGS



Mesh sizes		G.W.(kg)	Wire Diameter (mm)
7/150/813/50	102+114+127+140+152+178	19.3	2.0/2.5mm
8/150/813/50	89(75)+89+102+114+127+140+152	20.8	2.0/2.5mm
8/150/902/50	89+102+114+127+140+152+178	21.6	2.0/2.5mm
8/150/1016/50	102+114+127+140+152+178+203	22.6	2.0/2.5mm
8/150/1143/50	114+127+140+152+178+203+229	23.6	2.0/2.5mm
9/150/991/50	89(75)+89+102+114+127+140+152+178	23.9	2.0/2.5mm
9/150/1245/50	102+114+127+140+152+178+203+229	26.0	2.0/2.5mm
10/150/1194/50	89(75)+89+102+114+127+140+152+178+203	27.3	2.0/2.5mm
10/150/1334/50	89+102+114+127+140+152+178+203+229	28.4	2.0/2.5mm
11/150/1422/50	89(75)+89+102+114+127+140+152+178+203+229	30.8	2.0/2.5mm
Note: The fence can be customized according to your required if above specification is not satisfied with you			



ANPING MENGKE

WIRE MESH MANUFACTURE CO., LTD



East industrial Zone, Anping, Hebei, China.



info@walcoom.com

